

Belts for

Textile Industries



NITTA CORPORATION

NITTA CORPORATION

4-4-26 Sakuragawa Naniwa-ku,Osaka 556-0022 Japan Phone:+81-6-6563-1225 Fax:+81-6-6563-1242

http://www.nitta co.jp

NITTA CORPORATION OF AMERICA

7605 Nitta Drive, Suwanee,GA 30024, U.S.A. Phone:+1-770-497-0212 Fax:+1-770-623-1398 http://www.nitta.com

NITTA CORPORATION OF HOLLAND B.V.

Berenkoog 25, 1822 B.H. Alkmaar, The Netherlands Phone:+31-72-5622234 Fax:+31-72-5613238 http://www.nitta.nl

NITTA (SHANGHAI) MANAGEMENT CO., LTD

Room2705, Shenggao International Building, No.137 Xianxia Road, Shanghai 200051
Phone:+86-21-6229-6000 Fax:+86-21-6229-9606
http://www.nitta-cn.com

NITTA CORPORATION INDIA PVT LTD

Gat No.186, Village Fulgaon, Taluka Haveli,Pune, Maharashtra 412216, INDIA Phone:+91-20-6731-3400 Fax:+91-20-6731-3401 http://www.nitta.co.in

NITTA CORPORATION KOREA OFFICE

Room710, 7F, ShinhanDM Bldg. Mapo-daero 25, Mapo-gu, Seoul, Korea Phone:+82-2-3274-1252 Fax:+82-2-3274-1253 http://www.nitta.kr





NITTA INDUSTRIES EUROPE GmbH

Hansaallee 201,40549 Dusseldorf.Germany Phone:49-211-537535-0 Fax:+49-211-537535-35 http://www.nitta.de/

NITTA CORPORATION OF SINGAPORE PTE LTD

120 Lower Delta Road, #05-07/08 Cendex Centre,Singapore 169208 Phone:+65-6438-8738 Fax:+65-6438-8793 http://www.nitta.com.sg <Thai Liaison Office>Phone:+66-2797-0723 <Indonesia Liaison Office>Phone:+62-22-421-3146

TAIWAN NITTA FILTER CO.,LTD.

Headquarters: Chia Hsin Building 10FL Room No. 1005, 96 Chung Shan North Road Section 2, Taipei, Taiwan, R.O.C. Phone:+886-2-2581-6296 Fax:+886-3-469-0260 http://www.nitta.com.tw

NITTA BRASIL

Rua Francisco Mommenshon,50B,Galpāo 02 Laranjeiras,Caieiras,São Paulo,Brazil Phone/Fax:+55-11-4441-2922

15091000U

Product Specifications PolyBelt[™] PolySprint [™] SEB [™]

Cafegory	Belt Type	Thickness (mm)	Surface (Top/Bottom) *1	Color (Top/Bottom)	Tension Member *2	Minimum Pulley Diameter (mm)	Tensile Force for standard Elongation (N/mm) *3	Standard Elongation (%)	Recommend Elongation Range (%)	Temperature Range (°C)	Maximum length (m)	Card	Draw Frame	Ring Spinning	OE Spinning	TFO	DTY	Covering	Cleaner	Features	Skiver Splice Finger Splice	Belt Type	Category
	TFL-7S	2.4	NBR/NBR	Dark Blue/Gray	PA	75	15.0	2	1~3	-20~+80	105		•			•		•	•		•	TFL-7S	
	TFL-10S	2.6	NBR/NBR	Dark Blue/Gray	PA	100	19.5	2	1~3	-20~+80	105	•	•		•	•		•			•	TFL-10S	
	TFL-12S	2.85	NBR/NBR	Dark Blue/Gray	PA	125	24.5	2	1~3	-20~+80	105	•			•	•				Low Noice, Excellent Dyrability	•	TFL-12S	
	TFL-15S	3.1	NBR/NBR	Dark Blue/Gray	PA	150	30.0	2	1~3	-20~+80	105			•	•	•	•			Low Noise, Excellent Durability	•	TFL-15S	
	TFL-18S	3.35	NBR/NBR	Dark Blue/Gray	PA	175	34.0	2	1~3	-20~+80	105			•			•				•	TFL-18S	
	TFM-15S	3.7	NBR/NBR	Dark Blue/Gray	PA	150	30.0	2	1~3	-20~+80	105			•			•				•	TFM-15S	
	L-500	1.55	NBR/NBR	Blue/Black	PA	50	7.5	2	1~3	-20~+80	105	•		•							•	L-500	
Belt	LA-750S	2.25	NBR/NBR	Blue/Blue	PA	75	15.0	2	1~3	-20~+80	105								•		•	LA-750S	Belt
PolyBelt	L-1000S	2.45	NBR/NBR	Blue/Black	PA	100	19.5	2	1~3	-20~+80	105	•			•	•		•			L-1000S able Coefficient of Friction, Resistance, Excellent Durability M-1000S	L-1000S	Poly
	M-1000S	3.0	NBR/NBR	Blue/Black	PA	100	19.5	2	1~3	-20~+80	105			•			•			Stable Coefficient of Friction, Abrasion Resistance, Excellent Durability			
	MA-1500S	3.5	NBR/NBR	Blue/Blue	PA	150	30.0	2	1~3	-20~+80	105					•	•			Totasion recisionice, Excellent Barasinty	•	MA-1500S	
	M-1000GS	2.6	NBR/NBR	Blue/Black	PA	100	19.5	2	1~3	-20~+80	105				•						•	M-1000GS	
	MB-1000GSR	2.6	NBR/NBR	Black/Black	PA	100	19.5	2	1~3	-20~+80	105				•						•	MB-1000GSR	
	IRS-6S	2.6	NBR/NBR	Green/Black	PA	60	11.5	1	1~3	-20~+80	105								•	Specially Developed for Pneumatic Cleaner	•	IRS-6S	
	IR-500	1.3	NBR/NBR	Green/Green	PA	40	3.8	2	1~3	-20~+80	105									For Circular Machine, High Friction	•	IR-500	
	KSG-250	0.85	NBR/PA	Green/White	PA	20	1.5	1	1~3	-20~+80	105			•						Spindle Tape	•	KSG-250	
	TFL-15E20	2.0	NBR/NBR	Dark Blue/Black	PE	40	15	1	0.5~2	0~+60	200	•	•									TFL-15E20	
	TFL-22E26-2	2.6	NBR/NBR	Dark Blue/Black	PE	50	22	1	0.5~2	0~+60	200			•							•		
t	TFL-22E26C-2															•						ıt	
PolvSprint		2.6	NBR/NBR	Dark Blue/Gray	PE	50	22	1	0.5~2	0~+60	200									Less Power Consumption Easy to Make Endless, Low Noise, Shorter Take-up		TLA-30E30-2	PolySprint
A G	TLA-30E30-2	3.0		Dark Blue/Dark Blue	PE	70	30	1	0.5~2	0~+60	100						•			Choiter lake up	•		Po
	CFTG-40F	3.0	NBR/NBR	Blue/Blue	AR	100	40	0.5	0.2~0.5	-10~+60	200			•		•					•	CFTG-40F	
	CFTG-60F-3.9	3.9	NBR/NBR	Blue/Blue	AR	150	60	0.5	0.2~0.5	-10~+60	200			•		•		•				CFTG-60F-3.9	
	SE-A-PSS	1.6	NBR/NBR	Blue/Blue	PE	15	7.4	1	0.5~1	-20~+80	4.531*4		•									SE-A-PSS	
SEB	SE-B-PB	1.6	NBR/NBR	Black/Black	PE	25	14.7	1	0.5~1	-20~+80	4.525*4		•				•			Seamless		SE-B-PB	SEB
37	SE-D-PB	1.7	NBR/NBR	Black/Black	PE	35	29.4	1	0.5~1	-20~+80	4.525*4		•				•				s		

^{**}All belt types listed above have antistatic properties.
*1 Depending on the application, top and bottom covers can be reversed.
*2 PE: Polyester PA: Polyamide AR: Aramid
*3 Tensile Force is measured after running 200 hours in internal test.
*4 SEB length depends on the mold.

The NITTA Advantage - Innovative Products and Solutions



PolyBelt ™

Super-strong polyamide core, extended-life skived joining, high operating duty cycles

• High Strength, Long Life

High flexibility and rugged design for heavy-duty applications.

Polyamide core accommodates shock loads, and wide choice of covers provide abrasion resistance, giving long, dependable service.


Electrically Conductive

Materials with anti-static properties are used in specific layers to provide permanent conductivity, eliminating build-up of electro-static charges.

Selected materials are not susceptible to oil contamination.

• Environmental Resistance

Selected materials are not susceptible to oil contamination.



PolySprint ™

Finger-spliceable, easy installation, high-strength polyester core

Ease of Joining

A single action Nitta cutter eliminates the tedious task of multiple cuts that can lead to mismatched and non-aligned joints. Finger-splice joints are completed without adhesive.

Dimensional Stability

Polyester fabric used as tension member provides high dimensional stability. Selected materials are temperature and humidity tolerant.

• Abrasion Resistance

Friction resistant covers and fabric are exclusively designed for textile machinery.

Less Power Consumption

PolySprint's flexibility enables machines to run more efficiently, reducing power consumption.

Nomenclature Polyurethane PES Fabric NBR (Textured Structure) Pes Fabric NBR (Textured Structure) Nomenclature TFL-15E 20 ISurface T: Tangential F: Taffeta L: Light M: Medium Bett Tension in N/mm (1% Elongation at 200 hrs. running) Bett Thickness in mm×10

SEB™(Super Endless Belt)

Seamless


Splice free belts made by molded forming with excellent dimensional stability.

• Excellent flexibility, bending resistance and abrasion resistance

Excellent flexibility, long flex life and abrasion resistance can be expected even with power transmission and carrying equipment using very small pulleys.

High rotation accuracy

High rotation accuracy is available as pitch line is stable.



Splicing Tools (*PolySprint*™• PolyBelt™)

Splicing Tools for PolySprint™

PolySprint™

Quick and Easy Endless (No Experience Required)

Finger Joint (No Adhesive Needed)

PolySprint tools make replacing broken belts quick and easy, with minimal disassembly of the machine.







Finger Puncher

Type	Appearance	Features	Max. Width	Max. Thick.		Size (mm)		Wt.	Finger Length
			(mm)	(mm)	Width	Length	Height	(kg)	× Pitch
FP120-10-50		Precise indexing system	50	6.0	180	600	250	9.0	120×10
FP120-10-100		Precise indexing system	100	6.0	230	610	250	10.5	120×10

Heating Press

-		•												
	Type	Appearance	Features	Marking	Max. Width	Max. Thick.		Size (mm)		Wt. (kg)	Finger Length	Power	Temp.	
					(mm)	(mm)	Width	Length	Height	(Ng)	× Pitch		(0)	
1	NSP-1210-1	The state of the s	Automated heating	(PS) E	100	6.0	230	320	180	9.5	120×10	100V	~200	
1	NSP-1210-2	1	and cooling press	C€	100	6.0	230	320	160	9.5	120×10	200V	~200	

Other Tools

Туре	Appearance	Features
Presetter	11	Guide rails to hold joint straight when pressing
Clamp (2 Pieces)	Y	Clamps for holding presetter together when pressing

Splicing Tools for PolyBelt™

PolyBelt[™]

Nitta provides well-made, reliable tools for effective and efficient fabrication of our belts.

Poly Skiver

Туре	Appearance	Features	Max. Width	Max. Thick.	147: 141	Size (mm)		Wt. (kg)	Power
			(mm)	(mm)	Width	Length	Height	_	
PS153	San Marian	PolyBelt skiver for making skived ends. Highly reliable and widely accepted.	150	3.0	400	380	435	33.0	100V or 200V

Poly Press

Туре	Appearance	Features	Marking	Max. Max. Size Width Thick. (mm)			Wt.	Power	Temp. (℃)		
				(mm)	(mm)	Width	Length	Height	(Kg)		(0)
PP051	*	PolyBelt press for skived joining. Lightweight, easy to use and well-regarded in the industry.	PS E	50	2.5	112	160	90	1.3	100V or 200V	110
PP103		PolyBelt press for skived joining. Reliable, easy to use and well-regarded in the industry.	(PS) E	100	5.0	140	295	150	3.1	100V or 200V	110

Sonic Tension Meter U-508





Measurement of tension has depended greatly on the measurer's instinct, sometimes with very subjective results. Now, the sonic belt tension meter allows anyone to measure tension easily and correctly. Acoustic waves (natural frequency) generated by a belt are captured by the meter's sensor, and a digital processor uses the reading to calculate tension to a high degree of accuracy. The precise results are displayed on-screen.

5


TROUBLESHOOTING & SOLUTIONS

Issue	Cause	Solution				
	Belt slippage occurring on the motor drive pulley.	The belt tension should be increased.				
On all spindles, the required revolution is not obtained.		Wipe away the oil which has adhered to the belt surface.				
	Oil adhering to the belt.	Replace the belt with a new one if it is not possible to clean it.				
المخارا)	The diameter of some pulleys is not correct.	Replace the pulley with one suitable for the spindle revolution required.				
1 wh	Belt slippage occurring on motor-drive	Increase belt tension.				
2	belt or the belt driving the tangential- drive pulley.	Wipe away the oil which has adhered to the belt surface.				
	Yarn's "Balloon-load" exceeds the transmitted power of the belt.(In this situation, the belt slips on the drive pulley or spindle wharves.)	Check the belt tension and or the intruding depth of the contact pulley.				
	The pressure load of the belt against	Increase the belt tension.				
	the spindle wharves on the slack side is insufficient.	Adjust the intruding depth of the contact pulley (thus increasing the spring force).				
On the slack side, the required revolution is not obtained.	Yarn particles are wound up in the spindle wharves and as a result, the spindle load is increased.	Remove the yarn particles.				
	Something is wrong with the bearing rotation.	Replace the bearing or the spindle with a new one.				
	Some foreign materials have adhered	Wipe away the foreign materials.				
Incessant noise.	to the belt surface.	Grind the belt surface lightly with fine sand paper.				
	Some foreign materials have adhered to the spindle wharves.	Wipe away the foreign materials.				
	The spliced section of the belt is	Rejoin the spliced section.				
	beginning to tear.	Immediately replace the belt with a new one if too much damage has occurred.				
Intermittent noise.	A coation of the helt symfons in	Check the cause. Take appropriate corrective action if such deformation is caused by abnormal abrasion of the belt.				
	A section of the belt surface is deformed.	Replace the spindle or the belt if the belt is unusually heated due to an issue with spindle revolution and is burned at the time of belt stoppage.				
Noise at certain places(such as at	Something is wrong with the bearing rotation.	Replace the bearing.				
spindles).	Belts are bumping or rubbing somewhere.	Adjust the belt tracking.				
Belt tends to deviate in either upper or lower direction from the proper tracking position.	Something is wrong with the belt tracking.	Adjust the belt tracking by adjusting contact pulleys or guide pulleys.				
Belt tends to run zigzag against the pulley axis.	Something is wrong with the belt tracking.	Adjust the belt tracking by adjusting contact pulleys or guide pulleys.				
	Spindles are not securely fixed.	Check the bearings.				
	Pulley has a small crown.	Make pulley crown larger.				
	Spindle wharves, contact pulleys or other pulleys are not horizontally aligned.	Align pulleys properly.				

For Safe Use of Nitta Belt

1. Function and Performance

DANGER /



WARNING /



- Do not use Nitta Belt beyond the acceptable range specified in the Catalog.
- When static electricity generated in the belting section of a machine would create a fire and malfunction hazard, use an antistatic belt and put antistatic measures in place on the equipment. apparatus in the transmission device.
- Do not use Nitta Belt for conveying prepackaged food.

2. Storage and Shipping

WARNING /



- Nitta Belt is combustible; do not store or use it near fire or a high-temperature heat source.
- When storing heavy belts, secure them with appropriate jigs or stoppers to prevent falling and rolling.

CAUTION

- When storing and shipping the belts, do not distort them excessively.
- Store the belts in a low-temperature place free from direct sunlight. The recommended storage temperature is - 10 to + 30 °C.

3. Installing the Belt and **Daily Use**

DANGER !



- Be sure to put a cover over the rotating part including the belt.
- Before maintenance and inspection, be sure to turn off the switch and confirm that the machine has stopped.

WARNING /



When cleaning the belt, do not use chemicals harmful to humans.

CAUTION

- After replacing the a belt with a new one, perform a test operation to adjust tension, elongation rate and operation.
- Do not attach the belt forcibly; use a motor slide, a tension pulley or a special pulling device.
- When abnormal noise, snaking, deviation, skidding, etc. occur, stop the belt immediately for inspection.

4. Installation, Endless Joining, etc.

WARNING /



• When using solvents or adhesives, fully ventilate the work area. Keep fire away from the work area.

CAUTION

- Perform endless joining of belts by using the materials, the methods and the procedures specified by Nitta.
- Handle solvents and adhesives as directed.

5. Handling Used Belts

CAUTION

- Do not burn used belts; harmful gasses may be produced.
- Lawfully dispose of the used belts as industrial waste.

THE EXCELLENCE OF NITTA TECHNOLOGY

Nitta Corporation turns dreams into reality. Our combination of dynamic imagination and creativity with an organic corporate structure enables us to cover a wide-range of products from the most advanced semiconductors and space development to everyday commodities. We are continuously seeking new products and new frontiers. This new technology, not immediately obvious to the naked eye, is vital to the continued growth of every industry. Our objective is to develop the extraordinary. Then to translate the extraordinary into the everyday.

BELTING PRODUCTS

Product Information







The Nitta tradition of manufacturing belting products began in 1888, with the power transmission leather belts that were the first of their kind to be produced in Japan. Today, our power transmission and conveyor belts continue to be utilized in a wide variety of machines. By meeting society's needs with products including high-function and high added-value belts that convey power and objects more rapidly and reliably than ever, Nitta uses its technical capabilities to make a contribution to our society.

ONVEYOR PRODUCTS

Product Information







Conveyors, which transport a variety of products from one station to another, must be efficient, capable of making the most of a limited amount of space to convey objects smoothly without any human aid.

At Nitta, where we carry out the design-to-construction process for production-line conveyor systems, we use our technical know-how to promote conveyance speed and safety, and also offer advice on issues including the placing of conveyors to accommodate machines or installation environment. In a world where manufacturing and product logistics are becoming more important than ever, let us at Nitta provide the ideal solutions to your conveyor product needs.

NGINEERED RUBBER PRODUCTS

Product Information







Skyscrapers, intelligent buildings and a lattice-like pattern of highly ordered expressways make city life more comfortable. It is essential for these utilities to be safe and durable as well as aesthetically pleasing. Nitta is providing various kinds of reliable and easily maintained engineered rubber products such as construction materials and precision molding. They are made from high quality rubber with our own unique and special technology. Cities are full of amenities, and we are supporting the safety and comfort of city life by supplying high quality products.

Air filtration products





New technology innovation is required everyday in high-technology industries. Nitta has been contributing significantly to the fields of semiconductor production and nuclear application by using unique air filter systems to create totally dust-free environments. These fields are at the forefront of our era. Nowadays, our filter systems are broadly used not only these fields but also FPD (Flat panel display), pharmaceuticals, foods, office buildings, and so on. Furthermore, we are developing ecological products

which aim to reduce industrial waste and save resources, energy and costs. We are creating comfortable and dust-free environments, as well as protecting the earth and the natural environment, giving consideration to all environments and the realization of a perfect ecosystem.

MECHATRONIC PRODUCTS








These are the newest products for automated production lines by our connecting technologies.

Industrial robots have a key role in the automation line. In response to a variety of applications required by the end of the industrial robot's arm we will meet the demands of our customers







0.1mm thin film sensor supports the quality improvement and product development needs of our customers.

In various fields, such as industry and medical, our thin film sensor shows the pressure distribution on the contact area in real time, and contributes to advanced quality control, prompt development and high customer

HERMOSENSITIVE ADHESIVE TAPE







Intelimer® Tape is an adhesive tape utilizing a special polymer which responds to temperature to become adhesive or non-adhesive. As an industrial-use tape, Intelimer* Tape brings labor-saving efficiency to work operations, and its ability to be reusable under the right conditions helps promote resource conservation and cost savings

Wireless communication devices









By integrating our original rubber and resin technologies, we have developed high-performance magnetic sheets for wireless communication of mobile equipment as well as RFID tags (non-contact IC cards)

NITTA GROUP

GATES UNITTA ASIA COMPANY

Integrated Systems Enhance Quality

For the automobile and beyond, Gates Unitta Asia (GUA) is the leader in power transmission.





NITTA HAAS INCORPORATED

A Well Sharpened Future is Just Around the Corner

Polishing Systems, which are progressing toward "Nano-Structures."

The world of human technology that keeps seeking "Beauty and Difference."